



Cat. 6A RJ45 Plug
Industrial IP67
Metal version
M28 Thread Screw Type

Cat. 6A RJ45 Plug
(Standard)

Notes:

1. Electrical:
 - Meets EIA/TIA-568-B.2-10 Cat. 6A Channel Specification
 - Connector Operating Temperature: -40° C to +85° C
2. Materials and Finish:
 - Metal Coupling Ring: Brass, Nickel Plated
 - Plug Housing: Metallized ABS, UL94 V-0, Nickel Plated
 - Interfacial Seal: Silicon, Color: White
 - Cable Gland: Brass, Nickel Plated
 - Cable Gland Seal: NBR, Color: Black
 - Cat.6A RJ45 Plug Metal Shell: Copper Alloy, Nickel Plated
 - Cat.6A RJ45 Plug Plastic Housing: Clear Polycarbonate UL94 V-2
 - Cat.6A RJ45 Plug Contacts: Phosphor Bronze, Finish: 50 u" Gold min. over Nickel
 - Cable: Cat.6A SSTP, 4 Pairs, AWG26, Stranded, Jacket Color: Black
 - RJ45 Modular Boot: PVC, Color: Black

Cable Length L	Part Number
2 m	17-150764
4 m	17-150774
5 m	17-150784

Note: Special cable length are available please contact factory

Directive 2002/95/EC RoHS Compliant

THIS DRAWING MAY NOT BE COPIED, OR REPRODUCED IN ANY WAY AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC CORPORATION DOT NOT ALTER CAD DRAWING BY HAND	Customer:			Tolerance Unless otherwise specified		Scale: NTS	Dim. in meter	
	Name	Title	Approval Date	0 PLC ±0.50 1 PLC ±0.38 2 PLC ±0.25 3 PLC ±0.10 ANGES ±3°		Autodesk Inventor	Material: See Notes	
				2011	Date	Name	Cat. 6A RJ45 Ethernet Patch Cords IP67 Industrial to Standard M28 Thread Metal Version	
				Draw.	Sept. 28	Vincent Ke	Drawing No.: 17K1A279	
				Appd.	Sept. 28	J. Chaudry	Part No.: SEE PART NUMBER TABLE	
				Norm		DIN A3		
				D-old		Sheet 1/1		
	a	original						
Rev.	Changes	Date	Name					